



NET4GAS, s.r.o

**CAPACITY EXTENSION OF BTS
HORA SVATÉ KATEŘINY
SCOPE OF WORK FOR GENERAL
CONTRACTOR**

09.04.2018

ILF CONSULTING ENGINEERS

Werner-Eckert-Strasse 7, 81829 München, DE
Jirsíkova 5, 186 00 Praha 8, CZ

Phone: +49 89 25 55 94-0
+420 255 091 420

E-mail: info.muc@ilf.com
info.prg@ilf.com

Website: www.ilf.com



REVISION HISTORY

004	09.04.18	Re-Approved	Pistek	Team	Schorling
003	21.03.18	Re-Approved	Pistek	Team	Schorling
002	05.02.18	Re-Approved	Pistek	Team	Schorling
001	31.01.18	Re-Approved	Pistek	Team	Schorling
000	21.12.17	Approved	Pistek	Team	Schorling
B01	28.11.17	Issue for Review	Pistek	Team	Schorling
A01	17.11.17	Issue for IDC	Pistek	Team	Schorling
Rev.	Date	Issue, Purpose	Prepared	Checked	Approved

TABLE OF CONTENTS

1	GENERAL	5
1.1	Scope of the Document	5
1.2	Definitions	5
1.3	Abbreviations	5
1.4	References	6
2	SCOPE OF WORK	6
3	SYSTEMS AND OBJECTS TO BE REALISED WITHIN THE CONTRACT	8
3.1	Civil Systems and Objects	8
3.2	Pipeline Systems and Objects	9
3.3	Mechanical Systems and Objects	10
3.4	Electrical Systems and Objects	11
3.5	Instrument and Control Systems and Objects	12
3.6	Telecommunication Systems and Objects	12
3.7	Integrated Security System and Objects	13
3.8	Temporary Facilities	13
4	WORKS TO BE EXECUTED	14
4.1	General	14
4.2	Scope of Preparatory and Early Works	14
4.3	Scope of Demolition, Decommissioning and Removal Works	15
4.4	Scope of Relocation Works	16
4.5	Scope of Construction Works	16
4.6	Scope of Finishing Works and Testing	17
4.7	Scope of General Works, Reporting and DCC	18
4.8	Scope of Design and Detail Design Works	18
5	HSE, QA/QC AND QUALIFICATION REQUIREMENTS	20
6	PERMITS, APPROVALS, MANAGEMENT AND COORDINATION	21

7	SERVICES PROVIDED BY THE EMPLOYER	22
7.1	Equipment and Materials Supplied by the Employer/Third Party and Installed by the General Contractor	22
7.2	Other Works Provided by Third Parties	22
7.3	Design Works Delivered by the Employer or Third Parties	23

1 GENERAL

1.1 Scope of the Document

The purpose of the present document is to define the scope of work for the General Contractor.

This document shall be read in conjunction with the General Technical Requirements (C4G-HSKA-ILF-GEN0B-GEN-MAN-800) and with the Interface Report (C4G-HSKA-ILF-GEN0B-GEN-TZP-010).

1.2 Definitions

Term	Explanation
Project	Capacity Extension of BTS Hora Svaté Kateřiny
Employer	NET4GAS
Consultant	ILF Consulting Engineers
General Contractor	The entity entrusted by the Employer with Engineering, Procurement and Construction of the project.
Third Party	Any legal entity except Employer, Consultant and Contractor

1.3 Abbreviations

Term	Explanation
BTS HSK	Border Transfer Station Hora Svaté Kateřiny
CCTV	Closed Circuit Television
CP	Cathodic Protection
DCC	Document Control Center
EPC	Engineering, Procurement and Construction
EPC Contract / Contractor	Means the contract, contractor constructing the station

ICS	Instrumentation and Control System
ICT	Instrumentation, Control, Telecommunication and Security Systems
FOC	Fibre Optic Cable
LLI	Long Lead Item
LV	Low Voltage
Node KP	Distribution Node Kateřinský potok
ODF	Optical Distribution Frame
ROW	Right of Way
UPS	Uninterruptible Power Supply

1.4 References

No.	Number	Title
1	C4G-HSKA-ILF-GEN0B-GEN-TZP-010	Interface Report
2	C4G-HSKA-ILF-GEN0B-GEN-MAN-800	General Technical Requirements
3	C4G-HSKA-ILF-GEN0B-GEN-SEZ-845	List of Required Engineering Documents for General Contractor

2 SCOPE OF WORK

The Scope of Work of the project Capacity Extension of BTS Hora Svaté Kateřiny consists of the complete engineering, procurement and construction, testing, commissioning and start-up of a fully ready for commercial operation of the following facilities, in following text abbreviated as “The Project”:

- Facilities for extension of existing station BTS HSK, including Tie-Ins to the following existing Pipelines

- DN 900 I
- DN 900 II
- DN 1000
- Modification of existing BTS HSK in respect to power supply, parking shelter and others
- BTS HSK Interconnection to DN1000 Pipeline
- Node Kateřinský potok (KP) and related facilities, including Tie In to the existing pipeline DN 1400.
- Pipeline and related facilities from CZE/GER state border to BTS HSK extension
- Pipeline and related facilities from BTS HSK extension to Node KP.
- Construction, operating and management of the construction sites, pipeyard and temporary facilities
- Relocations
- Power supply connection from BTS HSK to Node KP
- HDPE Conduits for FOC along DN 1400 Pipeline
- Demolitions
- Any obligation resulting from the permitting process, for example requirements of the permitting process participants

Any required task including any temporarily required task to realise this fully ready for commercial operation of The Project is included in General Contractor's Scope of Work with the exception of:

- a) Tasks explicitly assigned in the Contract to the Employer
- b) Tasks explicitly assigned in the Contract to a Third Party

It is explicitly stated that any task resulting from any authority requirement is included in the scope of work.

The Scope of Work includes base items and optional items.

The Employer may decide to realise, or not to realise the optional items. Certain works required for these optional items are included in the base items. The limits between the base items and optional items are defined in the Interface Report.

3 SYSTEMS AND OBJECTS TO BE REALISED WITHIN THE CONTRACT

Note: Supply and delivery of some of equipment enumerated below is excluded from the General Contractor's scope, see section 7 . For exact battery limits see Interface Report.

3.1 Civil Systems and Objects

Civil works include, but are not limited to full supply and installation of systems and equipment enumerated below:

3.1.1 Supply of new Containers

Container shall be complete with all foundations, walls, roofs, access platforms, floors, double floors, ceiling, insulation, wall finishes, doors, HVAC, furniture and accessories, fire protection system, electrical installations, cable sealing frames, etc. for the following:

- a) EICT Container for HSK Extension
- b) EICT Container for Node KP
- c) LV Diesel Container (Enumerated here to have complete list of containers, not considered further under civil, refer to chapter 3.4.)

This subchapter refers to civil part of the containers. However General Contractor is invited to supply to site fully equipped container, already FAT tested.

3.1.2 Adaptations of existing Buildings/Rooms

Adaptation of existing buildings/rooms shall be complete with all required foundations, walls, roofs, floors, double floors, ceiling, suspended ceiling, insulation, wall finishes, windows, doors, HVAC, furniture and accessories, fire protection system, electrical installations, cable sealing frames, cable shafts, etc. for the following:

- a) Adaptation of existing Room RH01 and related adjustment works at Chemical Storage Room

3.1.3 Structures and Equipment Foundations

- a) LV diesel generator foundation
- b) LV diesel generator fire protection wall and roof
- c) Parking Shelter next to existing Workshop
- d) Pipe sleepers and valve supports
- e) Platforms, stairs and crossovers
- f) Cable shafts

- g) Electrical equipment (including lightning protection and outdoor lighting equipment) and ICT supporting structures and foundations
- h) Pits for piping, valves and instrumentation including cover if required
- i) Noise enclosures around the flow control valves if required

3.1.4 Systems

- a) Roads, traffic and paved areas
- b) Walkways and sidewalks
- c) Gravel areas
- d) Green areas, bushes, trees
- e) Fences and gates including protection cages and concrete rings for items, which need to be protected outside the new station fences, such as pig signaller, etc.
- f) Stormwater system (incl. renovation/upgrade of existing channels, drainages, culverts, culverts on access roads, etc. in an extend necessary to avoid flooding of the station or third party properties/structures)
- g) Cable routes, ducts and trenches
- h) Health and safety signs
- i) Access roads
- j) Temporary roads
- k) Temporary fencing
- l) Technical and biological re-cultivation including planting and seeding, reinstatement of site stone walls in the pipeline working strip and other reinstatements of existing objects after finalising of construction works as required in permitting process, etc.
- m) Trenches for pipes, cables, earthing, etc. (incl. backfilling, compaction, marking and protection if applicable)
- n) Pipe yards and stock yards

3.2 Pipeline Systems and Objects

Pipeline works mainly consist of realisation of the following pipeline sections:

- pipeline DN1400 from CZE/GER state border to the BTS HSK
- pipeline DN 1400 from BTS HSK to the Node KP
- rearrangements on pipeline DN 1000

In respect to free issued materials refer to chapter 7 of this document. Realisation of pipelines with all associated design and construction works up to final re-cultivation.

- a) Line pipes DN 1400 (and DN 1000)
- b) Induction bends
- c) Field bends
- d) Mainline valves with by-pass valves and associated equipment
- e) T-pieces
- f) Scraper traps (launchers and receivers)
- g) Insulation joints
- h) Pig signallers
- i) Thrust borings including casing pipes and related facilities
- j) Material necessary for pressure testing and stress testing, etc.

3.3 Mechanical Systems and Objects

Mechanical works include, but is not limited to full supply and installation of systems and equipment enumerated below, except supply of equipment excluded in the section 7 of this document:

3.3.1 Mechanical Systems

- a) Main gas transportation system

3.3.2 Main Mechanical Materials/Equipment

- a) Station piping
- b) Ball valves, gate valves, including actuators
- c) Safety shut - off valves, including actuators
- d) Flow control valves
- e) Hot pressed elbows
- f) T-pieces, reduction pieces, caps
- g) Flanges
- h) Insulation joints
- i) Fire extinguishers

3.3.3 Other Mechanical Materials

- a) Insulation, coating and painting
- b) Connection material (screws, bolts, nuts, washers, etc.)
- c) Gaskets
- d) Pipe supports
- e) Thrust borings including casing pipes and related facilities
- f) Welding material
- g) Material necessary for pressure testing, etc.
- h) etc.

3.4 Electrical Systems and Objects

Electrical works include, but are not limited to full supply and installation with any additional works & material of systems and equipment enumerated below:

Commissioning and commissioning support is included in the scope of work for General Contractor.

- a) Construction site facilities power supply
- b) New LV switchgears
- c) Upgrade of existing LV switchgears
- d) UPS system 400/230V AC (incl. batteries, battery rack, etc.)
- e) Electrical installation in containers/adapted existing rooms (lighting, surge protection, socket outlets, switches, cables, junction boxes, etc.)
- f) Earthing and lightning protection system for the whole station (incl. earth resistance measurement, main earthing grid, building earthing system, building lightning protection, station lightning protection, etc.)
- g) Installation works of LV Diesel generator set container (LVDS supplied by Employer)
- h) Station lighting (incl. poles, lighting fixtures, junction boxes, fuses, etc.)
- i) Cathodic protection (incl. rectifier, anodes, cables, connection boxes, etc.)
- j) Cable trays and ladders or other transport systems (incl. supports, hangers, edge protection, penetration sealing, filling blocks for modular cable transits, etc.)
- k) Cable trenches and channels, cable conduits, cable shafts (incl. laying, completion and components)

- l) Cables and cable laying (incl. delivering and laying power supply line to public grid if not realised by Employer)
- m) Power supply connection from BTS HSK to Node KP

3.5 Instrument and Control Systems and Objects

ICS works include, but are not limited to full supply and installation of systems and equipment enumerated below:

- a) Extension of existing Station control system
- b) Fire detection system (within containers and refurbished buildings)
- c) Instrumentation and metering
- d) Cables and cable laying (within channels, trays and trenches as provided by electrical discipline)

3.6 Telecommunication Systems and Objects

Telecommunication works shall include, but not limited to full supply and installation of systems and equipment enumerated below:

- a) Telecommunication cabinets in BTS HSK and node KP
- b) Structured cabling and Office LAN network ('passive part') in BTS HSK and node KP
- c) Preparation of all cable routes, the provisioning of FOC HDPE cable conduits calibrated and pressure tested, FOC HDPE cable conduit ready for installation of FOC, the provisioning of optical distribution frames ODF, the provisioning of NYY signal cables measured according to TP_D02_00_01_01 and marking tapes, etc. and support to Employers service companies for
 - i. the new FOC connection from the cable chamber located close to the CZ/GER state border to the existing administration building at BTS HSK
 - ii. the new FOC connection from the existing administration building at the BTS HSK to the EICT Container at Node KP
 - iii. FOC connection from EICT Container at Node KP to existing FOC network installed along the Gazelle pipeline
- d) FOC connections inside the stations BTS HSK and KP the node (incl. FOC cables, boxes, HDPE conduits and couplers, optical distribution frames ODF and marking tapes)

3.7 Integrated Security System and Objects

Integrated Security System works shall include, but not limited to full supply and installation of systems and equipment enumerated below:

- e) Extension of existing Alarm and emergency alarm system (PZTS) at BTS HSK
- f) New Alarm and emergency alarm system (PZTS) at Node KP
- g) Extension of existing Access control system at BTS HSK
- h) New Access control system at Node KP
- i) Extension of existing CCTV at BTS HSK
- j) New CCTV at Node KP
- k) Extension of existing Perimeter intrusion detection system at BTS HSK
- l) New Perimeter intrusion detection system at Node KP
- m) Extension of existing Intercom system at BTS HSK
- n) New Intercom at node KP
- o) Temporary security protection of existing BTS HSK during construction activities

3.8 Temporary Facilities

General Contractor to provide Temporary Facilities for the works:

- a) Site Facilities, including facilities for Employer
- b) Access Road
- c) Potable Water for Construction Site
- d) Sewage and Drainage on the Construction Site
- e) Piping and Storage Yard
- f) Protection of influenced underground technical infrastructure

4 WORKS TO BE EXECUTED

4.1 General

The General Contractor shall execute the complete detail design documentation, procure, construct, test and commission the systems and objects in his scope of work.

If not explicitly otherwise stated in the Contract the scope of work always includes the complete construction of the pipeline, buildings/containers, objects, systems, etc. It includes all supplies and services required to complete the pipeline, buildings/containers, objects and systems with the exception of those supplies and services which are explicitly assigned in the Contract as tasks of the Employer, or of a Third Party.

For the purpose of the present scope of work description the term “construction” also includes the necessary engineering and design work, shop drawings, supplies, tests, commissioning, permits, etc. required for the complete construction unless specifically exempted.

The extent of works and supplies are not limited by lists in this document. All works and supplies necessary for completion, testing, commissioning of the stations BTS HSK, Node KP, pipeline and related facilities are included in the General Contractor’s scope, if not explicitly excluded.

Fulfilment and compliance with all requirements imposed by authorities or third parties resulting from permitting process are also included in the General Contractor’s scope.

4.2 Scope of Preparatory and Early Works

The scope of the general works includes, but is not limited to the following services:

- a) Mobilisation, demobilisation, supply of materials, machinery, personal incl. necessary permits
- b) Temporary facilities
- c) Provision of temporary fencing, roads, storage areas, security protection of existing facilities
- d) As-built survey according to Employer’s specification MP_T01_05_01_01
- e) All other surveys which are necessary for the Project and are not provided by the Employer
- f) Additional surveys required by Authorities (if any) before/during commencement of earthworks, such as archaeological, pyrotechnical, etc.
- g) Working strips setting out
- h) Access road/ road slip construction

- i) ROW and third party facilities marking
- j) Site cleaning and trees cutting (incl. disposal)
- k) Dewatering works, lowering of underground water table if required (incl. negotiation with Third Parties and Authorities if required for permit of discharge of water)
- l) Site installations (incl. waste storage facility, sanitary installations, etc.)
- m) Provision of water and energy for the needs of the General Contractor, Employer, or Third Party (NDT Contractor, Inspection Contractor, etc.)
- n) Provision of temporary office and site facilities for the needs of the General Contractor, Employer, or Third Party (NDT Contractor, Inspection Contractor, etc.).
- o) Provision of stock yards and pipe yards for the needs of the General Contractor, Employer, or Third Party (NDT Contractor, Inspection Contractor, etc.)
- p) The preparation and maintaining of a preliminary storage space for LLI items procured and delivered by Employer before readiness of Pipeyard and Site storage.
- q) etc.

4.3 Scope of Demolition, Decommissioning and Removal Works

Demolition, decommissioning and removal works shall include, but not limited to full demolition, decommission and removal of systems, parts of systems and equipment enumerated below:

- a) Existing Diesel Generator including related switchgears, fuel storage facilities and related HVAC equipment
- b) Existing UPS system
- a) Existing station fence (partly on more locations). For needs of rerouting of DN 900 interconnection pipe towards the existing HPS HSK station the fence will be reassembled after the pipe installation works. The time frame for demolishment, modification and extension of the existing perimeter and perimeter protection systems shall be restricted in respect of time as much as possible. If it is necessary to modify the perimeter and perimeter protection systems in different parts of the HSK station those modifications shall be performed sequentially to ensure that the remaining perimeter protection system of the HSK station will remain functional and the unprotected part of the perimeter will be as small as possible during the modification period. Additional measures to ensure security of the station HSK during the modification period of the perimeter and perimeter protection systems (e.g. by provisioning of temporary security guards) shall be provided by General Contractor.

- b) Existing electrical post belonging to obsolete station security system located inside the existing HPS HSK in new route of DN 900.
- c) Existing shelter next to existing utility building (RH01 Room) including paving below the shelter
- d) Existing mechanical and piping components for needs of new interconnection to Pipeline DN 1000
- e) Remains of overhead electrical line including its underground part across the new pipeline DN 1400 from the pipeline working strip
- f) Existing outdoor lighting post in south east corner of existing BTS HSK

4.4 Scope of Relocation Works

Relocation works shall include, but not limited to full relocation of systems, parts of systems and equipment enumerated below:

- a) Relocation of existing objects (belonging e.g. to electrical, station control, etc., which need to stay in operation) for needs of rerouting of DN900 interconnection pipe towards the existing HPS HSK station. Any relocation shall be realised only in case that it is not realised by Employer.
- b) Relocation of communication cables and related conduits, signal cables, etc., which are crossing new BTS HSK extension including installation of spare cable conduits along relocated cables. The relocated cables shall be additionally protected by conduits and concrete trenches as requested by communication cables owners.
- c) Relocation of communication cables (running along DN 1000) and related conduits, signal cables, etc., which are crossing new Node KP including installation of spare cable conduits along relocated cables (if not realised by Employer).
- d) Relocation of communication cables (running along DN 1400) and related conduits, signal cables, etc., which are crossing new Node KP including installation of spare cable conduits along relocated cables (if not realised by Employer).
- e) Relocation, rerouting or change of type of route (for example from ducts to conduits) of the existing cable inside the existing BTS HSK. This shall apply usually for cable routes along the fence, where fence will be demolished or rerouted. As per needs this shall apply also on other influenced locations.

4.5 Scope of Construction Works

- a) Top soil stripping (handling with top soil as per authority requirements)
- b) Site grading

- c) Site grading includes, but is not limited to excavation, filling, compaction, temporary surface drainage system, embankments and retaining walls where necessary.
- d) Elevation proposed on Coordination Layout shall be followed.
- e) Earthworks (incl. excavation, filling, compaction, soil replacement, surplus soil disposal, soil improvements, sheeting, bracing, shoring, sheet piling, etc.)
- f) Foundation works (incl. piling or stone columns if required)
- g) Supply of all materials required to completely construct and test the systems and facilities within the Contract limits with the exception of those materials which are explicitly included in the Employer's services (see Interface Report)
- h) Complete construction and/ or installation of all objects, systems and facilities within their limits
- i) Welding
- j) Field coating and painting
- k) Demolitions and disposal/ liquidation of existing systems, objects, networks, etc. if required for the Project
- l) Relocations of existing systems, objects, networks, etc. if required for the Project
- m) Protection of existing objects influenced by construction works (e.g. protection of existing cable routes in location of necessary excavations, etc.)
- n) Temporary and permanent protection of existing objects, networks and facilities.
- o) Reconstruction/relocation of existing drainages influenced by the Project.
- p) Storage and maintenance of equipment and materials supplied by the Employer or a Third Party
- q) Noise Insulation on Flow Control Valves and adjacent piping, if necessary based on legal requirements and actual noise levels. Noise measurements shall be performed after commissioning of each station
- r) etc.

4.6 Scope of Finishing Works and Testing

- a) Testing of all systems and facilities, incl. hydro tests, cleaning and drying and including handling of the testing water
- b) Training of the Employer's personnel for the operation and the maintenance of all items supplied by the General Contractor. The training includes formally organised sessions with all relevant paperwork so that the trainees can quickly understand
- c) Painting and corrosion protection

- d) Installation of casing pipes seals
- e) Backfilling
- f) Tagging of all equipment
- g) Complete clean-up of the construction site after erection and testing
- h) Complete technical re-instatement of all facilities damaged by the General Contractor such as for instance roads
- i) Complete biological re-instatement, incl. top soil spreading and seeding and planting of trees
- j) Disposal of surplus top soil (as per authority requirement)
- k) Management and handling of surplus and disposal of waste material
- l) Pipeline marking

4.7 Scope of General Works, Reporting and DCC

- a) All activities required to be in conformity with the Employer's procedures (such as document numbering, corresponding numbering, document approval procedures, etc.) are part of the Scope of Work
- b) Daily report, including look ahead for next day, weekly and monthly reporting and participation in monthly/weekly progress and site meetings with Employer and Third Parties
- c) Following all applicable standards, codes, regulations and design documentation. In case of discrepancy the General Contractor is responsible to inform the Employer before works commencement

4.8 Scope of Design and Detail Design Works

The Tender Design shall be endorsed by the General Contractor. Required updates of the documentation during execution of the project shall be provided by the General Contractor. The General Contractor shall then develop the tender design into a constructible design. The General Contractor shall supply all design and detail design documents related to his scope of work. This holds also true for any temporary work.

All design documentation shall follow decree no. 499/2006 Sb. with all relevant amendments, further all internal procedures and guidelines of the Employer and provided tender documentation.

The General Contractor shall submit his design and detail design documents for Employer's Review.

The General Contractor will provide a list of deliverables for Employer's Review.

Obtaining Employer's Review for the design and detail design documents is part of General Contractor's scope of work.

The documentation provided by the Employer shall be authorized as per legislative requirements.

For minimum list of deliverables see document no. C4G-HSKA-ILF-GEN0B-GEN-SEZ-845 List of Required Engineering Documents for General Contractor.

Relevant documentation by Employer's service companies and Vendors of Long Lead Items shall be incorporated by General Contractor into the As Built Design.

5 HSE, QA/QC AND QUALIFICATION REQUIREMENTS

a) HSE Requirements

- An approved Safety Management System shall be employed, accredited and in accordance with:
- OHSAS 18001:1999 — Amendment 1:2002: Occupational Health and Safety Management Systems
- ISO 14001:2004: Environmental Management Systems
- A project specific HSE Management Plan shall be developed relevant to the scope of work described under this specification.
- All construction equipment used for the execution of the project works shall be fit for purpose and carry valid inspection certificates and insurance required under state law

b) QA/QC Requirements

- A Quality Management System shall be employed, that has been accredited in accordance with ISO 9001
- The Quality Management System shall include supporting procedures and processes as described by ISO 9004-1
- A project specific Quality Plan shall be developed that is relevant to the scope of work described under the specifications
- The construction execution ITP (Inspection and Testing Plan) shall be developed by General Contractor and approved by the Employer.

c) Welding procedure qualification, Welding Procedure Specifications (WPS) and welder qualification

6 PERMITS, APPROVALS, MANAGEMENT AND COORDINATION

- a) The General Contractor shall provide permits, management and coordination of all activities related to the Project, except those which are excluded below.
- b) The Employer will provide the construction permit as required by the law.
- c) The Employer will also provide contracts and agreements with owners of land plots influenced by the Project.
- d) The Employer will further provide all statements and requirements from the authorities resulting from the permitting process.
- e) The General Contractor has to respect all conditions and requirements written in the provided contracts/agreements with land plot owners, as well as all requirements from authorities.
- f) Any other permits/approvals have to be acquired by the General Contractor. This especially includes:
 - permit for intake/discharge of the water for/from hydro test
 - temporary closure of roads (if applicable)
 - acquisition of decision/approval from the Police, road owner and authorities regarding traffic engineering measures solution and special usage of the roads during the construction works
 - permit for temporary power and potable supply lines if required
 - approval from Notified Body (e.g. TIČR) on electrical installation
 - permit for Trial Operation
 - permit for Final Operation
 - etc.
- g) The General Contractor also needs to coordinate the works with the owners of Third Party facilities, as well as with the land owners, or authorities.

7 SERVICES PROVIDED BY THE EMPLOYER

For battery limits of supplies/works see document no. C4G-HSKA-ILF-GEN0B-GEN-TZP-010 Interface Report

7.1 Equipment and Materials Supplied by the Employer/Third Party and Installed by the General Contractor

- a) Line pipes DN 1400 and Lines Pipes DN 1000
- b) Station Piping \geq DN 300
- c) Ball Valves with combined sealing, incl. SSV Ball Valves \geq DN300
- d) Induction bends \geq DN 300
- e) Hot pressed elbows 1.5D, \geq DN 300
- f) Fittings \geq DN 300 (T-pieces, reduction pieces, caps)
- g) Flanges \geq DN 300
- h) Gate Valves \geq DN 300
- i) Isolation joints \geq DN 300
- j) Pig signallers
- k) Scraper traps (with signallers)
- l) Stopple / split fittings \geq DN 300 (with certain installation works by Employer)
- m) Pressure control and safety shut-off valves \geq DN 300
- n) Low Voltage Diesel Generator, containerized solution

7.2 Other Works Provided by Third Parties

- a) Provisioning of FOC from cable chamber located close to the CZ/GER state border to the existing administration building at BTS HSK.
- b) Provisioning of FOC from the existing administration building at the BTS HSK to the EICT Container at Node KP.
- c) Provisioning of FOC for FOC connection from EICT Container at Node KP to existing FOC network installed along the Gazelle pipeline.
- d) Establishment of the FO connection to the existing FOC network installed along the Gazelle pipeline by Employer's service company.
- e) Provisioning of active telecommunication equipment (routers, switches, firewalls, WIFI access points, etc.).

- f) Configuration and network setup for the active components (routers, switches, firewalls, WIFI access points, etc.).
- g) Provisioning of telecommunication equipment – IP phones.
- h) Configuration and network setup for IP phones.
- i) Provisioning of security equipment (Local NVR and Operator workplace, etc.).
- j) Configuration and setup for the security components (Local NVR and Operator workplace, etc.) and integration into N4G security dispatching centre in Breclav.
- k) NDT works (NDT)
- l) Inspection Works (INW)
- m) Environmental Supervision
- n) Construction of Pipeline DN 1400 between German Czech Border and Pipeline Interconnection Point, which is located approximately 25 m from the Border at Czech territory.
- o) Construction of HDPE Conduit for FOC between German Czech Border and HDPE Interconnection Point, which is located approximately 40 m from the Border at Czech territory.

General Contractor is aware and shall accommodate that Third Parties construction and installation works will take place during the construction works of General Contractor. Site coordination activities and HSE supervision of these activities is in Scope of Work of General Contractor.

7.3 Design Works Delivered by the Employer or Third Parties

On the General Contractor's request, the Employer will provide available as-built documentation of existing facilities influenced by the Project, further internal guidelines, procedures and specifications (available mainly in Czech language).

Beside tender documentation, the Employer will provide documentation for building permit, on which basis the building permit was/will be obtained.

On the General Contractor's request, the Employer will provide available vendor documents of equipment/material supplied by the Employer/Third Party.